

Informacije o proizvodu

16 85 125 SB

Univerzalni alat za skidanje plašta



- Prikladan za skidanje plašta i izolacije svih uobičajenih okruglih i kabela za vlažne prostore od Ø 8,0 do 13,0 mm (npr.: NYM kabel 3 x 1,5 mm² do 5 x 2,5 mm²)
- Također za uporabu u odvojnima i razdjelnim kutijama
- Dvodijelni, otklopivi alat za skidanje izolacije
- Sa oprugom za otvaranje i mehanizmom brave
- Pričvrtna kopča za sigurno čuvanje
- S dodatnim nožem za uzdužne rezove
- Unutarnji, teleskopski nož
- Alat za skidanje izolacije za presjeke 0,2 / 0,3 / 0,8 / 1,5 / 2,5 / 4,0 mm²
- S integriranom vodilicom za kabel za uzdužni rez. s fiksne izolacije (npr. bez halogena) može se tako lakše skinuti plašt

MM

Općenito

Article No.	16 85 125 SB
EAN	4003773060444
Težina	79 g
Dimenzije	125 x 86 x 36 mm
REACH kompatibilis	nem tartalmaz SVHC -t
RoHS kompatibilis	nem alkalmazható

Tehnička svojstva

Vrijednosti skidanja izolacije za pojedine žile	0,2 mm ² / 0,3 mm ² / 0,8 mm ² / 1,5 mm ² / 2,5 mm ² / 4,0 mm ²
Vrijednosti skidanja izolacije, kvadratni milimetri	0,2 – 4 mm ²
tip kabela	okrugli kabel, npr.: 3 x 1,5 mm ² do 5 x 2,5 mm ²

Tehničke promjene i pogreške zadržane



